



# WOYR2.E485345 - Switches, Appliance and Special Use - Component

## Switches, Appliance and Special Use - Component

**Yueqing Daier Electron Co Ltd**

1636 Lihuang Rd Xirendang Industrial Zone, Liushi Town  
Yueqing, Zhejiang 325604 China

E485345

**Investigated to ANSI/UL 61058-1**

Cat. No.	Load	Amps	Volts	Hz	Temp (°C)	Pol/ Cir	Endurance		IP	Dis (mm)	SPCA	Std. Ed.
							30C cycle	55C cycle				
<b>Appliance Switches</b>												
<b>KCD1 Series</b> (KCD1, f/b -2, -5, -8 or -9, f/b -101, -102 or -103, f/b N or Blank, f/b 1,2,3,4 or 5, f/b Letter(s), Number(s), symbol or Blank )	RM	0~6(3)	0~125	50/60	125	-1.2	-	10K	40	-	-	-
		RM	0~6(3)	0~250	50/60	125	-1.2	-	10K	40		
<b>KCD2 Series</b> (KCD2, f/b -X or Blank, f/b -1 or -2, f/b 01 or 03, f/b blank or N, f/b 1,2,3,4 or 5, f/b Letter(s), Number(s), symbol or Blank )	RM	0~16(8)	0~125	50/60	125	1.2 ~-1.5	-	10K	40	-	-	-
		RM	0~16(8)	0~250	50/60	125	1.2 ~-1.5	-	10K	40		

<b>LAS3 Series</b> (LAS3, f/b -16, -19,-22,-25,-28 or -30, f/b F,H,B,or X, f/b - W or Blank, f/b 11 or 22, f/b Letter(s) or Blank, f/b M or L, f/b -number(s) or blank, - letter(s) )	R	0~5	0~125	50/60	85	-	-	10K	40	micro	-	-
	R	0~5	0~250	50/60	85	-	-	10K	40			
	R	0~5	0~125	50/60	85	-	-	10K	40			
	R	0~5	0~250	50/60	85	-	-	10K	40			
<b>Toggle</b>												
<b>MTS Series</b>	R	0-3	250	50-60	55	1,2,3/1,2-1.2/1.5	6K	10K	40	full 1.5	-	2013-02-15
	R	0-6	125	50-60	55	1,2,3/1,2-1.2/1.5	6K	10K	40			

Marking: Company name or trademark  , catalog, model Or part number, electrical ratings and the Recognized Component Mark,  On the product Or On the smallest unit container In which the product Is packaged.

Last Updated on 2021-10-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"